





SAHARA Profil Galbé





◆ **Dallages :**

	Dalle de 50 x 50 cm - Epaisseur 2,5 cm (+/- 3 mm) 1 palette = 20 m ²	56 kg 1142 kg
	Dalle de 50 x 50 cm - Epaisseur 3,5 cm (+/- 3 mm) 1 palette = 15 m ²	79 kg 1207 kg
	Dalle Skimmer : 2 pièces (1 dalle de 27 x 27 cm + 1 bouchon de diamètre 22,5 cm)	4,5 kg








◆ **Margelles :** Epaisseur 2,5 à 5,5 cm (+/- 3 mm)

	Margelle droite	50 x 33 cm 50 x 27 cm	12,5 kg 10,4 kg
------------------------------------------------------------------------------------	-----------------	--------------------------	--------------------

◆ **Courbes :** Epaisseur 2,5 à 5,5 cm (+/- 3 mm)


	Courbe	Rayons 300 - 750 - 1000 - 1200 - 1300 1500 - 1750 - 2000 - 2500 - 3000 - 4000 - 5000	11 à 14 kg
	Courbe inversée	Rayons 1500 - 2000 - 2500 - 3000	12 kg

◆ **Angles :** Epaisseur 2,5 à 5,5 cm (+/- 3 mm)



	Angle 90°	1 pièce	17,5 kg
	Angle R 150	1 pièce	16,5 kg
	Angle sortant	1 pièce	12,5 kg
	Angle sortant départ escalier	2 pièces (départ droit et gauche)	13,5 kg
	Angle R 610	2 pièces	28 kg
	Angle R 610 inversé	2 pièces	28 kg
	Angle R 500	3 pièces	36 kg

Coloris Disponibles : Beige Rosé, Blanc Cassé, Jaune Sable, Gris perle

SAHARA Profil Plat





◆ Dallages :

	Dalle de 50 x 50 cm - Epaisseur 2,5 cm (+/- 3 mm) 1 palette = 20 m ²	56 kg 1142 kg
	Dalle de 50 x 50 cm - Epaisseur 3,5 cm (+/- 3 mm) 1 palette = 15 m ²	79 kg 1207 kg
	Dalle Skimmer : 2 pièces (1 dalle de 27 x 27 cm + 1 bouchon de diamètre 22,5 cm)	4,5 kg







◆ Margelles : Epaisseur 3,5 à 5 cm (+/- 3 mm)

	Margelle droite	50 x 33 cm	15 kg
------------------------------------------------------------------------------------	-----------------	------------	-------

◆ Courbes : Epaisseur 3,5 à 5 cm (+/- 3 mm)

	Courbe	Rayons 300-750-1000-1200-1350-1500 1600-1800-2000-2300-2500-2750-3500-5000	10 à 15 kg
	Courbe inversée	Rayons 1500 - 2500 - 5000	13 kg

◆ Angles : Epaisseur 3,5 à 5 cm (+/- 3 mm)

	Angle 90°	1 pièce	19 kg
	Angle R 150	1 pièce	19 kg
	Angle sortant	1 pièce	11 kg
	Angle sortant départ escalier	2 pièces (départ droit et gauche)	10 kg
	Angle R 610	3 pièces	36,5 kg
	Angle R 500	3 pièces	31,5 kg



Coloris Disponibles : Beige Rosé, Blanc Cassé, Jaune Sable, Gris perle

Les poids et conditionnements indiqués le sont à titre indicatif et ne sont pas contractuels.


SAHARA Round profile





Pavement:

	50 x 50 cm tile - 2,5 cm thick (+/- 3 mm) 1 pallet = 20 m ²	56 kg 1142 kg
	50 x 50 cm tile - 3,5 cm thick (+/- 3 mm) 1 pallet = 15 m ²	79 kg 1207 kg
	Skimmer tile: 2 pieces (1 tile of 27 x 27 cm + 1 plug with 22,5 cm diameter)	4,5 kg








Curbstones: 2,5 to 5,5 cm thick (+/- 3 mm)

	Straight curbstone	50 x 33 cm 50 x 27 cm	12,5 kg 10,4 kg
------------------------------------------------------------------------------------	--------------------	--------------------------	--------------------

Curves: 2,5 to 5,5 cm thick (+/- 3 mm)


	Curve	Radius 300 - 750 - 1000 - 1200 - 1300 1500 - 1750 - 2000 - 2500 - 3000 - 4000 - 5000	11 to 14 kg
	Reverse curve	Radius 1500 - 2000 - 2500 - 3000	12 kg

Angles: 2,5 to 5,5 cm thick (+/- 3 mm)




	Angle 90°	1 piece	17,5 kg
	Angle R 150	1 piece	16,5 kg
	Outside angle	1 piece	12,5 kg
	Outside angle stairs start	2 pieces (right or left)	13,5 kg
	Angle R 610	2 pieces	28 kg
	Reverse angle R 610	2 pieces	28 kg
	Angle R 500	3 pieces	36 kg

Available in Pink beige, Off-white, Yellow sand and Pearl grey


SAHARA Flat profile





Pavement:

	50 x 50 cm tile - 2,5 cm thick (+/- 3 mm) 1 pallet = 20 m ²	56 kg 1142 kg
	50 x 50 cm tile - 3,5 cm thick (+/- 3 mm) 1 pallet = 15 m ²	79 kg 1207 kg
	Skimmer tile : 2 pieces (1 tile of 27 x 27 cm + 1 plug with 22,5 cm diameter)	4,5 kg







Curbstones: 3,5 to 5 cm thick (+/- 3 mm)

	Straight curbstone	50 x 33 cm	15 kg
------------------------------------------------------------------------------------	--------------------	------------	-------

Curves: 3,5 to 5 cm thick (+/- 3 mm)

	Curve	Radius 300-750-1000-1200-1350-1500 1600-1800-2000-2300-2500-2750-3500-5000	10 à 15 kg
	Reverse curve	Radius 1500 - 2500 - 5000	13 kg

Angles : 3,5 to 5 cm thick (+/- 3 mm)

	Angle 90°	1 piece	19 kg
	Angle R 150	1 piece	19 kg
	Outside angle	1 piece	11 kg
	Outside angle stairs start	2 pieces (right or left)	10 kg
	Angle R 610	3 pieces	36,5 kg
	Angle R 500	3 pieces	31,5 kg

Available in Pink beige, Off-white, Yellow sand and Pearl grey

The information given is provided for information purpose and are not binding.